

## United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
10/652,490	09/02/2003	Tadashi Takigawa	1745.1001	2304	
21171	7590 09/06/2005	,	EXAMINER		
STAAS & HALSEY LLP SUITE 700			BIDWELL,	BIDWELL, JAMES R	
	ORK AVENUE, N.W.		ART UNIT	PAPER NUMBER	
WASHINGTON, DC 20005			3651	3651	

DATE MAILED: 09/06/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	Applicant(s)			
	10/652,490	TAKIGAWA ET AL.			
Office Action Summary	Examiner	Art Unit			
	James R. Bidwell	3651			
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply					
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.  - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.  - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.  - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).					
Status					
1) Responsive to communication(s) filed on 05 Ju	ıly 2005.				
2a)⊠ This action is <b>FINAL</b> . 2b)☐ This	action is non-final.				
3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits					
closed in accordance with the practice under E	closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.				
Disposition of Claims					
<ul> <li>4)  Claim(s) 1-17 is/are pending in the application.</li> <li>4a) Of the above claim(s) is/are withdrawn from consideration.</li> <li>5)  Claim(s) is/are allowed.</li> <li>6)  Claim(s) 1,2,7,9,10 and 15 is/are rejected.</li> <li>7)  Claim(s) 3-6, 8, 11-14, 16 and 17 is/are objected to.</li> <li>8)  Claim(s) are subject to restriction and/or election requirement.</li> </ul>					
Application Papers	•				
<ul> <li>9) The specification is objected to by the Examiner.</li> <li>10) The drawing(s) filed on is/are: a) accepted or b) objected to by the Examiner.  Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).</li> <li>11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.</li> </ul>					
Priority under 35 U.S.C. § 119	·				
<ul> <li>12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).</li> <li>a) All b) Some * c) None of:</li> <li>1. Certified copies of the priority documents have been received.</li> <li>2. Certified copies of the priority documents have been received in Application No</li> <li>3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).</li> <li>* See the attached detailed Office action for a list of the certified copies not received.</li> </ul>					
Attachment(s)  1) Notice of References Cited (PTO-892)  2) Notice of Draftsperson's Patent Drawing Review (PTO-948)  3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)  Paper No(s)/Mail Date	4) Interview Summary Paper No(s)/Mail Da 5) Notice of Informal P 6) Other:				

The disclosure is objected to because of the following informalities: In lines 5 of claims 1 and 9 there is lack of antecedent basis for "the circumference" nor is it clear what circumference is being referred to. Claim 12 should depend from claim 11 in order to provide proper antecedent support for the recited elements.

Appropriate correction is required.

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

Claims 1, 2, 7, 9, 10 and 15 are rejected under 35 U.S.C. 102(b) as being anticipated by Leeuwestein (U.S. Patent 3,737,050).

Leeuwestein shows a rotating shaft 14, a support member 12 rotatable around shaft 14, at least one accommodating unit 8 for accommodating and surrounding articles 2, a driving device 24, and accommodating unit 8 is provided on a shaft 46 which is inclined relative to shaft 14.

Re claim 2, there are a plurality of accommodating units 8 and 10.

Re claim 7, an incline of 45 degrees is shown for shaft 14 and shaft 46 is at a 45 degree angle relative to shaft 14.

Re claim 9, articles 2 are stick like and their alignment is changed from a vertical delivery to a horizontal push out.

Re claim 10, shown are a plurality of accommodating units.

Re claim 15, the claimed inclinations are shown in the Figures.

Claims 3-6, 8, 11-14, 16 and 17 are objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

Applicant's arguments with respect to claims 1, 2, 7, 9, 10 and 15 have been considered but are most in view of the new ground(s) of rejection.

Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to James R Bidwell whose telephone number is 571-272-6910. The examiner can normally be reached on Tues.-Fr.. from 6:30 to 4:00. The examiner can also be reached on alternate Mondays.

Application/Control Number: 10/652,490 Page 4

Art Unit: 3651

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Gene O. Crawford, can be reached on 571-272-6911. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

JRB

09-01-2005

JAMES R. BIDWELL
PREMARY EXAMINER 9 11/05

GROUP 5350